SECTION 5.0 – OTHER CEQA SECTIONS

INTRODUCTION

The CEQA Guidelines require a description of the environmental setting before the commencement of the project in order to examine and analyze the effects of the physical change in the environment after the project is completed. Because the Shore terminal is an operating facility, this EIR examines the impacts of continued operation of the terminal.

The impact analysis focuses both on routine operating conditions of the marine terminal and accidents that could occur during routine operations. Routine operations are those daily activities involved in receipt of crude and transfer of product between vessels, and the transit of vessels from the Golden Gate to/from the marine terminal. Accident conditions addressed include fire, explosions, and spills, and their resultant consequences. This document addresses briefly impacts from tankering along the outer coast.

As part of the impact analyses, the consequences of oil spills that could result from accidents are evaluated. The Unocal Marine Terminal Lease Consideration EIR (Chambers Group 1994), Shore Terminal's Oil Spill Response Plan (BlueWater Consultants 2001), and pertinent Clean Bay oil spill trajectory models as contained in Wickland's Application Responses and Supporting Appendices (Wickland 1998) contained extensive oil spill modeling that show that oil spread can potentially cover the entire area between I-80 and the Delta entrance, which is near West Pittsburgh. Thus, it is assumed that any sensitive resources throughout that area could be oiled. The analyses for accident conditions in this EIR examine the potential impacts to sensitive environmental resources between I-80 and the Delta entrance, and provide specific mitigation to be conducted by Shore to reduce or eliminate impacts. The primary analysis focuses on the terminal and the area between I-80 and the Delta, with secondary and tertiary emphasis on the Bay and outer coast, respectively.

5.1 SIGNIFICANT ENVIRONMENTAL EFFECTS WHICH CANNOT BE AVOIDED IF THE PROPOSED PROJECT IS IMPLEMENTED

As per the California Environmental Quality Act (CEQA), Section 15126.2 (b) presents those significant environmental impacts that cannot be avoided in the granting of a new lease by the California State Lands Commission (CSLC) to the Shore Terminals' Martinez marine terminal. These impacts would remain significant and unavoidable (Class I), even after incorporation of available and feasible mitigation measures.

> Spill Response Capability for Large Spills at Marine Terminal. Even though the chance of an oil spill is low, if an accidental spill occurs, unavoidable significant impacts can result. Based on the number of vessel calls in 2002, an average of about one spill every 2 years can be expected from the Shore terminal. The spill

would be expected to be less than 1 gallon 54 percent of the time, and less than 10 gallons 70 percent of the time. The probability of a spill larger than 1,000 gallons from the terminal would be 3 percent or 1 spill every 38 years. The annual probability of a spill greater than 42,000 gallons (1,000 barrels [bbls]) from the Shore terminal, including a tank vessel at berth, equates to an expected mean time between spills of 160 years. Based on the maximum number of annual vessel calls that the terminal can handle (325), an average of about 1.5 spills per year can be expected. The consequences of a spill would depend on the size of the spill, the effectiveness of the response effort, and the biological, commercial fisheries, shoreline, and other resources impacted by the spill.

The terminal meets all federal and state requirements for response capabilities. Shore and their response contractors are expected to be able to prevent a small spill of less than 10 gallons from causing significant impacts. In most cases, the response capability is considered adequate to contain a spill of 50 bbl or less and prevent it spreading over a wide area. However, it may not be possible to contain and recover all of the oil from a 50 bbl spill, nor is it likely that the terminal would be able to contain and recover all the oil from a release of greater than 1,000 bbl. Thus, moderate spills of 1,000 gallons and large spills of 1,000 bbl most likely would result in a significant adverse impact (Class I) that would have residual effects after first response mitigation efforts.

<u>Large Spills from Vessels in Transit</u>. The potential for a spill from the marine terminal, including the tank vessel while it is at the terminal, was found to be much greater than the potential of a spill from a tank vessel transiting within the Bay or outer coast. However, while the probability of a large spill from vessels in transit is small, the consequences of such a spill would be a significant adverse impact (Class I).

> Segregated Ballast Water and Introduction of Non-Indigenous Species. Discharge of segregated ballast water could result in a significant adverse impact to water quality (Class I) if viruses, toxic algae, or other harmful microorganisms are released. Discharge of segregated ballast water or hull fouling could introduce exotic species to the aquatic ecosystem of the San Francisco estuary. Introduction of exotic species, including the Asian clam Potamocorbula amurensis introduced in 1986, has had a devastating effect on the plankton and benthic communities of the San Francisco estuary. Continued introduction of exotic species would have a significant adverse impact on planktonic and benthic communities (Class I). The introduction of non-indigenous species through terminal operations could have significant adverse impacts (Class I) to fishes, water-associated birds, marine mammals, and listed species through direct competition, destabilization of the food web, accumulation of toxins in the tissues of the voraciously filter-feeding Asian clam, or the introduction of disease organisms or toxic algae. Compliance with the California Marine Invasive Species Control Act and the California Ballast Water Management for Control of Nonindigenous Species Act, with completion of ballast water reporting will help to reduce the impact of ballast water discharges, but impacts will remain significant (Class I).

- > Marine Anti-Fouling Paints. Marine anti-fouling paints are used to reduce nuisance algal and marine growth on ships. Anti-fouling paints are biocides that contain copper, sodium, zinc, and tributyltin (TBT) as the active ingredients. All of these are meant to be toxic to marine life that would settle or attach to the hulls of ships Because of the high toxicity of organotins to marine organisms, the use of these substances on vessels associated with Shore Terminals is considered to be a significant adverse impact to water quality that cannot be mitigated to less than significant (Class I). Impacts of anti-fouling paints on water quality may be partially mitigated if Shore Terminals requires that vessel operators document that vessels using the marine terminal have had no new applications of TBT or other biocide-based anti-fouling paints. However, until all TBT is phased out by 2008, vessels with old applications of TBT on their hulls will visit the terminal. Although it is reasonable for Shore Terminals to require vessels to document no new TBT applications (per IMO mandate). Shore Terminals cannot feasibly require vessels to remove TBT from their hulls until the IMO mandate comes into effect in 2008. Therefore, until all TBT is gone from vessels using the Shore marine terminal, impacts of organotins will remain significant (Class I).
- Spill Effects on Water Quality. The severity of impacts from larger leaks or spills at the marine terminal would depend on (1) spill size, (2) oil composition, (3) spill characteristics (instantaneous vs. prolonged discharge), (4) the effect of environmental conditions on spill properties due to weathering, and (5) the effectiveness of cleanup operations. The initial impacts of an oil spill would be to the quality of surface waters and the water column, followed by impacts to sedimentary and shoreline environments. Following an oil spill, hydrocarbon fractions would be partitioned into different regimes and each fraction would potentially affect water quality. Large spills at the Shore marine terminal (greater than 50 bbls) would result in significant adverse (Class I) impacts on water quality. Most tanker spills/accidents and larger spills that cannot be quickly contained either in the Bay or along the outer coast would result in significant, adverse impacts (Class I).
- > Oil Spill at Shore Marine Terminal or from Tankers Visiting the Terminal. An oil spill of 1,000 bbls or greater could have significant, adverse impacts on biological resources (Class I). A spill between 50 and 1,000 bbls would also probably have significant biological impacts that might not be avoidable (Class I). The resources at the most immediate risk of oiling from a spill at the Shore marine terminal are Suisun Shoal, Hastings Slough/Point Edith/Seal Island, Bulls Head Marsh/Pacheco Creek, Martinez Marsh and Benicia Marsh. Depending on conditions at the time of the spill, these areas could be contacted within 3 hours of a spill at the Shore marine terminal. Shore Terminals may not have adequate boom available to protect all the sensitive areas that may be oiled within 3 hours of a spill at the terminal. Furthermore, the Area Contingency Plan recommends using sonic devices to scare birds away from Suisun Shoal if this area becomes oiled. Shore Terminals' Oil Spill Response Plan does not identify a source of such sonic devices. Therefore, Shore Terminals should increase the amount of boom it can deploy during the first 3 hours of a spill and should identify a source of sonic devices that could be deployed at Suisun Shoal within 3 hours of a spill. Even with these mitigation measures, the impacts of a large spill to biological resources would be significant (Class I).

1 2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17 18

19

20

21

22

23

24

25

26

27

28

29

30 31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48 49

- Spill Effects on Biological Resources from Tanker In Transit to Terminal. An oil spill of 1,000 bbl of greater has the potential to have significant adverse impacts on biological resources (Class I) in the shipping lanes or outer coast. A spill between 50 and 1,000 bbl would also probably have significant biological impacts that might not be avoidable (Class I). Conclusions are based on relative sensitivity of the resource to oil and the vulnerability of the resources within San Francisco Bay. Responsibility for first response would not fall to Shore as Shore does not own vessels, but would fall to vessel owners and response contractors.
- ▶ Ballast Water and Storm Water Run-Off on Fisheries. Impacts on commercial and sport fish and habitat near the terminal and the Bay will likely continue from discharge of ballast water and stormwater run-off. With regards to ballast water and non-indigenous species that attach to ship hulls, the invasive species could out compete Dungeness crabs and other species important to the food web. Due to high concentrations of toxins in invasive species tissues, native fishes that feed on these species could ingest large quantities of toxins. Sport and commercial fisheries in the Bay and on the outer coast would likely be impaired and that impairment would likely cause significant (Class I) impacts.
- Oil Spill Effects on Fisheries. Potentially significant impacts (Class I) may occur to shrimp, herring fishing, herring spawning, and sport fisheries inside the Bay from an oil spill. Fishing activities would be affected by closure of recreational fishing piers and commercial and recreational fishing marinas. Loss or damage to fisheries and fishing gear would increase the impacts on commercial fishing operations and angling activities. In addition, contamination of fish and habitat would likely result in short- and long-term impacts. Depending on the spread of a spill, the amount of product spilled, the type of product, and effectiveness of response and clean-up operations, these impacts in the Bay may not be mitigated to insignificant. Along the outer coast, impacts also could result in Class I impacts from a large spill.
- Spill Effects on Shoreline and Recreation Amenities. Impacts resulting from larger oil releases at the terminal, in the Bay, or along the outer coast have the potential to degrade the environment and preclude the use of shoreline land and/or recreational activity at the site of the release and to the area depending upon the extent of the spread of the oiling. The degree of impact, however, is influenced by many factors, including, but not limited to, spill location, spill size, type of material spilled, prevailing wind and current condition, the vulnerability and sensitivity of the resource, and response capability. Since it is impossible to predict with any certainty the potential consequences of spills, impacts are considered to be adverse and significant (Class I) severe spills if they could have residual effects that remain after first response cleanup occurs.
- Spill Effects on Visual Environment. Shore is in an area of rapidly moving current. If a spill is not detected immediately, the spread of a larger spill over a large area could occur, and potentially impact shoreline areas throughout Carquinez Strait and Suisun Bay. Oiling would result in a negative impression of the viewshed that has the potential to result in significant adverse impacts (Class I) if residual effects after first

response containment and cleanup remain. Spills in the Bay and along the outer coast could result in significant impacts (Class I), especially where spills would be visible in the nearshore zone or at the shoreline and where residual effects may remain after initial cleanup operations.

5.2 SIGNIFICANT IRREVERSIBLE ENVIRONMENTAL CHANGES WHICH WOULD BE CAUSED BY THE PROPOSED PROJECT

As per the CEQA (Section 15126.2(c)), this section presents the irreversible changes related to the use of, or long-term commitment of, nonrenewable resources. Irreversible changes represent long-term environmental damages that could result from the Proposed Project.

> Of the impacts presented in Section 5.1, above, even the impacts of oil spills over a long enough time period are reversible. However, if a large spill would cause enough water quality or biological damage so as to result in the elimination of a species, an irreversible impact would result.

5.3 GROWTH INDUCING IMPACTS OF THE PROPOSED PROJECT

As per the CEQA (Section 15126.2(d)), this section discusses the ways in which the Proposed Project could foster economic or population growth, or induce additional housing, either directly or indirectly in the surrounding environment.

The Proposed Project involves the granting of a new 20-year lease for operation of the If granted, the new lease would allow Shore Shore Terminals marine terminal. Terminals to continue to operate the Martinez marine terminal, which has been operating since 1974 at its current location under lease from the CSLC. Over the life of the lease. Shore could increase throughput from an increase of annual vessel calls at the wharf from the five-year (1998 to 2002) baseline annual average of 178 to 325 vessels. However, no modifications to the wharf are proposed, as the wharf would continue to berth one vessel at a time, the same as current operations. Increased capacity may required an increase in upland storage tankage that would be subject to CEQA review by the city of Martinez. Increased throughput would be the result of changes in market conditions and driven by increased demand for refined products. The terminal would not create or contribute to that demand but would accommodate As such, since the Proposed Project is considered growth that demand. accommodating, it is not considered growth inducing, and would not directly or indirectly foster economic growth, population growth, or the need for housing.